

Seafood for the Soil®

General Usage and Application Rates

Mix Well before adding water.
Dilution rate: 30: 1
(1/2 cup per gallon of water)
Minimum Dilution: Soil use 5:1 (20% solution)
For Foliar Use, at least 50:1 (2% solution)

Please consult our application guide for particular crop guidance.

General Guidance: Row crops and other annuals 2 – 3 gal/acre per application, 2 to 4 times per year.

Orchards and other woody perenni-

als: 5 – 10 gal/acre soil drench 3 times per year, including once post-harvest, plus foliar applications.

Foliar use: 1 – 2 gal/acre.

Since it feeds the soil, post-harvest application is particularly effective.

Consult with a crop consultant, experienced farmer or other professional for specific guidance.

Use with Caution: Wash with water any contact with body. Do Not Store diluted product, use up all that you mix.

www.pacificgro.com

- Made from micronized crab shell and other seafood waste
- Cold processed hydrolysate
- Screened to 165 mesh (90 micron) for trouble-free spray and drip application
- No oils removed, allows for soil lock and foliar sticking
- Good food product promoting beneficial microbial activity, especially fungal.

GUARANTEED ANALYSIS

Total Nitrogen (N) 2.0%
1.6% water soluble nitrogen
0.4% water insoluble nitrogen
Available Phosphate (P205) 1.0%
Soluble Potash (K ₂ 0)0.3%
Calcium (Ca)1.0%

Derived from fish protein hydrolysate stabilized with sulfuric acid, and seafood protein hydrolysate.

Density 8.7 lbs/gal at 68°F

Information regarding the content and levels of metals in this product is available on the Internet at: http://www.aapfco.org/metals.htm

Produced and guaranteed by: Tidal Grow AgriScience PO Box 3313, Bellevue, WA 98009